



IECEX Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEX BAS 11.0014**

Page 1 of 4

Certificate history:

Status: **Current**

Issue No: 8

Issue 7 (2019-08-08)
Issue 6 (2018-09-25)
Issue 5 (2017-08-01)
Issue 4 (2016-08-25)
Issue 3 (2016-01-15)
Issue 2 (2013-08-30)
Issue 1 (2012-07-12)
Issue 0 (2012-03-19)

Date of Issue: 2020-06-04

Applicant: **Ion Science Limited**
The Hive
Butts Lane
Fowlmere
Royston
SG8 7SL
United Kingdom

Equipment: **Cub**

Optional accessory:

Type of Protection: **Intrinsic Safety**

Marking: **Ex ia IIC T4 Ga (-20°C ≤ Ta ≤ +55°C)**

Approved for issue on behalf of the IECEx
Certification Body:

R S Sinclair

Position:

Technical Manager

D BREARLEY
Certification
Manager

Signature:
(for printed version)

Date:

4-6-2020

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

SGS Baseefa Limited
Rockhead Business Park
Staden Lane
Buxton, Derbyshire, SK17 9RZ
United Kingdom





IECEX Certificate of Conformity

Certificate No.: **IECEX BAS 11.0014**

Page 2 of 4

Date of issue: 2020-06-04

Issue No: 8

Manufacturer: **Ion Science Limited**
The Hive
Butts Lane
Fowlmere
Royston
SG8 7SL
United Kingdom

Additional
manufacturing
locations:

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2017 Explosive atmospheres - Part 0: Equipment - General requirements
Edition:7.0

IEC 60079-11:2011 Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"
Edition:6.0

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Reports:

GB/BAS/ExTR10.0259/01
GB/BAS/ExTR16.0026/00
GB/BAS/ExTR19.0184/00

GB/BAS/ExTR12.0171/00
GB/BAS/ExTR16.0147/00
GB/BAS/ExTR20.0002/00

GB/BAS/ExTR12.0183/00
GB/BAS/ExTR17.0325/00

Quality Assessment Report:

GB/BAS/QAR07.0023/08



IECEX Certificate of Conformity

Certificate No.: **IECEX BAS 11.0014**

Page 3 of 4

Date of issue: 2020-06-04

Issue No: 8

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

The Cub is a self-contained battery powered hand-held gas detector intended to monitor the concentration of Volatile Organic Compounds (VOC) or various toxic gasses, dependent on which sensor is fitted. It produces alarms (audible, visual and vibrator) if preset levels are exceeded. The particular gas being monitored is shown on the display for a short time at switch on.

It is powered by a rechargeable battery, which is recharged by placing the gas detector into a Docking Station located in a non-hazardous area. Whilst in the Data or Calibration Docking Station, data can be transferred to and from other non-hazardous area equipment such as a computer. Whilst in the Charge Docking Station, only recharging is done. The apparatus must only be recharged when in a non-hazardous area, and using one of the Ion Science Docking Stations as shown in the drawings listed below.

The VOC sensor is from the MinPID range covered by Certificate IECEx BAS07.0030U and the other sensors are electrochemical cells which do not require individual certification. The sensors must only be changed when in a non-hazardous area.

The apparatus is not designed for use in oxygen enriched atmospheres.

SPECIFIC CONDITIONS OF USE: NO



IECEX Certificate of Conformity

Certificate No.: **IECEX BAS 11.0014**

Page 4 of 4

Date of issue: 2020-06-04

Issue No: 8

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)
Variation 8.1

To permit an update to the PCB with minor electrical changes and to permit the use of an alternative over-mould material.

EXTR: GB/BAS/ExTR20.0002/00

File Reference: **19/0709**